

711 Louisiana Street, Suite 2900 Houston, Texas 77002-2781 Phone: 713.223.2900 Toll Free: 800.887.1993

Fav	Cover	Letter
P 4 A	AUVEL	

Please deliver the following pages to Examiner Dang D. Le Fax Number: 1-703-872-9319 This fax is from James E. Bradley and is being transmitted on 03/31/2003 at _____. The length of this fax, (including the cover letter), is 8 pages. The fax machine number is 713.221.1212. If you do not receive all pages, please call 713,221,1233.

Message

Re: Serial No: 09/838,741

Filed: 04/19/2001

FAX RECEIVED

MAR 3 1 2003

TECHNOLOGY CENTER 2800

Confidentiality Notice

This fax from the law firm of Bracewell & Patterson, L.L.P. contains information that is confidential or privileged, or both. This information is intended only for the use of the individual or entity named on this fax cover letter. Any disclosure, copying, distribution or use of this information by any person other than the intended recipient is prohibited. If you have received this fax in error, please notify us by telephone immediately at 713.221.1233 so that we can arrange for the retrieval of the transmitted documents at no cost to you.

	CHRITIFICATE OF 37 CFR 1. Shield's being sent by fassimile to Exh	(4)		:.
had an had burned -		LeBlanc	 	•

IN THE UNITED STATES PATENT & TRADEMARK OFFICE

IN RE APPLICATION OF

DOCKET NO. 104-22997

Dick L. Knox, et al.

EXAMINER:

SERIAL NO.: 09/838,741

Dang D. Le

FILED: 04/19/2001

TITLE: Pressurized Bearing System for Submersible Motor

GROUP ART UNIT: 2834

FAX RECEIVED

RULE 116 AMENDMENT

MAR 3 1 2003

Hon. Commissioner of Patents and Trademarks Washington, D.C. 20231

TECHNOLOGY CENTER 2800

Sir:

In response to the Office Action mailed January 15, 2003, please amend claims 1, 7 and 12 as set forth below:

- 1. (Three Times Amended) In an electric motor having a shaft and a bearing located within a housing that is adapted to be filled and sealed with lubricant, the improvement comprising:
- a plurality of centrifugal lubricant pump stages located in the housing, each of the pump stages having an impeller attached to and rotating with the shaft and a mating diffuser for pressurizing the lubricant; and

7. (Three Times Amended) An electric submersible pump assembly for a well, the assembly comprising:

an electrical motor having a shaft and a bearing located within a housing that is filled and sealed with lubricant;

a chamber located in a lower portion of the housing for containing a volume of lubricant;

a flow passage within the shaft leading from the chamber to the bearing without passing through any filter;

first and second centrifugal lubricant pump stages, each pump stage located in the chamber of the housing and each having an impeller attached to and rotating with the shaft and a mating diffuser for pressurizing the lubricant; and

a pump exterior of the motor and connected to the shaft for pumping well fluid.

12. (Twice Amended) A method of operating an electric motor having a shaft and a bearing located within a housing that is adapted to be filled and sealed with lubricant, comprising: mounting at least one centrifugal lubricant pump stage in the housing, the pump stage having an impeller attached to and rotating with the shaft and a mating diffuser for pressurizing the lubricant;